



MEDIUM ALKYD RESIN
A1-212-501

Description

Medium oil alkyd resin supplied at 50% non volatile in mineral spirits.

Suggested uses:

- Architectural enamels.
- Industrial primers & enamels.
- Domestic primers.

Product Specification

Gardner Viscosity @ 77 °F	Z9 - Z10
Reduced Viscosity at 35% Non Volatile in mineral spirits @ 77 °F	U - X
Acid Value (solids)	0 - 12
Percent solids	49 - 51
Color Gardner	6 max
Appearance	Clear
Weight / gallon	7.62

Features

- High drink
- Compatibility with maleic resin.
- Good gloss
- Good flexibility

Curing information

Air dry : Recommended % of metal based on resin solids, 6 mil wet film

Cobalt octoate	0.07%
Calcium octoate	0.18%
Zirconium octoate	0.30%
Set to touch	2 -3 hr
Dry hard	6 hrs



MEDIUM ALKYD RESIN
A1-212-501

Storage

Keep containers in a cool and dry place , avoid ignition sources (flames, electrical sparks, heat).
Follow all hazard precautions give in the MSDS of the product to know the appropriate handling and storage before use it.

For any question related to the performance of this product, please contact our technical department.

DISCLAIMER AND LIMITATION OF LIABILITY

The products sold hereunder shall meet Seller's applicable specifications at the time of shipment. Seller's specifications may be subject to change at any time without notice to Buyer. Buyer must give Seller notice writing of any alleged defect covered by this warranty (together with all identifying details, including the Product Code(s), description and date of purchase) within thirty (30) days of the date of shipment of the product or prior to the expiration of the shipment's quality life, whichever occurs first. THE WARRANTY DESCRIBED HEREIN SHALL BE IN A LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, THERE ARE NO WARRANTIES THAT EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF.

The Buyer's sole and exclusive remedy against Seller shall be for the replacement of the product or refund of the purchase price in the event that a defective condition of the product should be found to exist by Seller. NO OTHER REMEDY (INCLUDING BUT NOT LIMITED TO, INCIDENTAL OR CONSEQUENTIAL DAMAGES FOR LOST PROFITS, LOST SALES, INJURY TO PERSON OR PROPERTY, OR ANY OTHER INCIDENTAL OR CONSEQUENTIAL LOSS) SHALL BE AVAILABLE TO THE BUYER.

The sole purpose of this exclusive remedy shall be to provide Buyer with replacement of the product if any defect in material or workmanship is found to exist. This exclusive remedy shall not be deemed to have failed its essential purpose so long as Seller is willing and able to replace the defective products or refund the purchase price.

To the best of our knowledge, the information contained herein is accurate.

Final determination of suitability of the material for the use contemplated, the manner of use and whether the suggested use infringes any patents is the sole responsibility of the buyer.